

FIG. 1




FIG. 2

FIG. 3 is a cross-sectional view of a device 10 in a first state. The device 10 includes a base 12, a shaft 14, and a head 16. The head 16 is in a retracted position, exposing a channel 18. The channel 18 is formed in the shaft 14 and extends to a distal end 20. The device 10 is shown in a cross-sectional view, with the shaft 14 and head 16 being hatched to indicate they are made of a different material than the base 12. The base 12 is shown in a cross-sectional view, with the channel 18 being a recessed portion of the base 12. The shaft 14 is shown in a cross-sectional view, with the head 16 being a protruding portion of the shaft 14. The distal end 20 is shown in a cross-sectional view, with the channel 18 being a recessed portion of the shaft 14. The device 10 is shown in a cross-sectional view, with the shaft 14 and head 16 being hatched to indicate they are made of a different material than the base 12. The base 12 is shown in a cross-sectional view, with the channel 18 being a recessed portion of the base 12. The shaft 14 is shown in a cross-sectional view, with the head 16 being a protruding portion of the shaft 14. The distal end 20 is shown in a cross-sectional view, with the channel 18 being a recessed portion of the shaft 14.




FIG. 3




FIG. 4




FIG. 4A




FIG. 5




FIG. 5A




FIG. 6




FIG. 6A




FIG. 7A




FIG. 7




FIG. 8A








FIG. 8






FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20